



Thermal Clip-On Hunt650



Technical Specifications

ThermTec Technology Co., Ltd. Email: info@thermeyetec.com Website: https://www.thermeyetec.com









HUNT 650

Key Features

- 640*512 thermal resolution, NETD≤20mk;
- 1024*768 resolution with 0.39-inch OLED display;
- Magnesium alloy housing;
- Lightweight of 400g and compact design;
- Self-learning image correction;
- Ultra-long image stability;
- Automatic object detection and distance measurement;
- Various pseudo colors and target outline mode;
- Up to 6h continuous working for lithium battery;
- Audio and recoil-activated video supported;
- Wireless remote control;
- APP connection via Wi-Fi supported;
- No re-zeroing required and quick attachment to day optics;

Applications

- Night hunting
- Observation

Specifications

Model	Hunt650	
Microbolometer		
Type	Uncooled	
Resolution	640x512	
Pixel pitch	12μm	
NETD	≤20mk	
Spectral range	8-14μm	
Frame rate	50HZ	
Detection Range	2,600m	
Optics		
Objective lens	50mm	
Field of view	8.8°x 7.0°	
Recommended magnification of the day scope	1-10X	
Digital zoom	X1	
Display		
Туре	AMOLED	
Resolution, pixel	1024x768	
Display size	0.39 inch	

Function		
Max. recoil power on rifled weapon	6,000J	
Image calibration	Via shutter	
RAV	Yes	
Video Recorder		
Photo/video playback	Yes	
Built-in memory	64GB	
	Interface	
Type C	Data transfer, battery charging	
MIC	Yes	
Wi-Fi	Yes	
Bluetooth	Yes, Remote control	
Battery		
Built-in battery	6h	
Environment		
Body material	Magnesium alloy	
Connection thread	M52×0.75	
Operating temperature	-20- +50°C	
IP rating	IP67	
Weight, g	400	
Dimension, mm	129(L)x70(W)x77(H)	

Accessories







Remote control (x1)



USB cable (x1)



Lens cloth (x1)



User manual (x1)

Dimension

Unit: mm



